Web Images Maps News Shopping Gmail more ▼

Google

☆☆☆
+☰✓
Google Checkout

| worst case delay utilizing token bucket methods | Search | Advanced Search |
| | | Preferences |

Web Results **1 - 10** of about **15,200** for <u>worst</u> <u>case</u> <u>delay</u> <u>utilizing</u> <u>token</u> <u>bucket</u> <u>methods</u>. (**0.31** seconds)

Method for determining burstiness or a burstiness curve of a ...
According to the LR model, the **worst-case delay** bound dM of a tandem network ... The **method**
simulates a **token-bucket** traffic policing mechanism to analyze ...
www.patentstorm.us/patents/6795397-description.html - 85k - Cached - Similar pages

Integrated **Delay** Analysis of Regulated ATM Switch - Real-Time ...
available in the **token bucket** and a **token** is consumed. whenever a cell is transmitted. ...... accurate
method to derive the **worst case delay** by **utilizing** ...
ieeexplore.ieee.org/iel3/5099/13913/00641290.pdf - Similar pages

Online Distributed Statistical-**Delay** MBAC with QoS Guarantees for ...
bound, and **token bucket** traffic descriptors. The network. is required to meet these distinct .... this
relation is based on the **worst case delay** conditions, ...
ieeexplore.ieee.org/iel5/9871/31386/01458590.pdf?arnumber=1458590 - Similar pages
More results from ieeexplore.ieee.org »

[PDF] Speeding up Transaction-oriented Communications in the Internet
File Format: PDF/Adobe Acrobat - View as HTML
a burst at peak rate p an on/off source will pause until the **token bucket** is filled up again. We consider
a **worst case** topology and the maximum traffic load ...
doc.tm.uka.de/2004/kuefner-qf-pdb-mcmi2004.pdf - Similar pages

Method for maintaining reservation state in a network router and ...
1 is a schematic of a **token-bucket** utilized to allow for specifying the input ..... The flow experiences
the **worst case delay** when it merges with traffic ...
www.freepatentsonline.com/7027449.html - 138k - Cached - Similar pages

An admission control algorithm for predictive real-time service ...
worst case behavior of the network violate any **delay** bound? An example of this .... We require that
each real-time flow a be characterized by a **token bucket** ...
www.springerlink.com/index/p7274880458k7736.pdf - Similar pages

Integrated services packet networks with mobile hosts ...
imal **delay** bounds of predictive flows are approximated by. replacing the **worst-case** parameters in the
analytical model. with equivalent **token bucket** filter. ...
portal.acm.org/ft_gateway.cfm?id=299570&type=pdf&dl=GUIDE&dl=ACM - Similar pages

PII: S0140-3664(00)00180-8

By choosing appropriate **token bucket** traffic shaper parameters, **delay** can be **.....** such that it represents the "**worst-case**" traffic scenario as **...**
linkinghub.elsevier.com/retrieve/pii/S0140366400001808 - Similar pages

Leaky **Bucket** Access Control for VBR MPEG Video

as the **worst case** cell loss rate for the LB system. Although **.....** by **utilizing** a large **token** pool size short terms variations in **...**
doi.ieeecomputersociety.org/10.1109/INFCOM.1995.515949 - Similar pages

(WO/2004/112335) PCMM APPLICATION MANAGER

The Maximum Traffic Burst is set equal to the IETF **Token Bucket** Depth b **....** As such, both the maximum **worst case** queuing **delay** and the peak rate of the **...**
www.wipo.int/pctdb/en/wo.jsp?WO=2004%2F112335&IA=WO2004%2F112335&DISPLAY=DESC - 83k - Cached - Similar pages

Goooooooooogle ▶

1 2 3 4 5 6 7 8 9 10 **Next**

| worst case delay utilizing token buck | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

©2008 Google - Google Home - Advertising Programs - Business Solutions - About Google